

Saab Sonett III





import motors inc.
Sales - Parts - Service
1685 Mentor Ave. Ph: 352-9625
Painesville, Ohio 44077





There are lots of other Sonett features that are equally easy to appreciate like a 4 speed shift on the floor, molded bucket seats, a leather covered steering wheel, front wheel disc brakes and full instrumentation. Plus the fact that Sonett has roll bars both in the windshield pillars and behind the seats.

But you won't really appreciate Sonett until you come to that first set of esses in the road. Then you'll see why we say front wheel drive makes a car handle better. With front wheel drive, the wheels that steer the car are the wheels that pull it. So the car has to go right where you want it to go.

And Sonett is one sports car you don't have to put away in mothballs when winter rolls around. Like all Saab's it's virtually oblivious to ice, rain, snow and skidding. And because it has a fiberglass body, there's no need to live in a constant fear of winter salt eating your car up.

All in all, Sonett is for the man who always wanted to own a custom-built sports car but couldn't afford one.

Until now.



SAAB
SONETT
1971-1973
1.8L 4-CYLINDER
160 HP
4-SPEED MANUAL
DISC BRAKES
STEERING WHEEL
LEATHER TRIMMING
RIBBED SEATS
ROLL-OVER PROTECTION



BRAKES, STEERING, SUSPENSION

Diagonally divided dual circuit foot brake system. 10.5 in. diameter disc brakes on front wheels, 8 in. drum brakes rear. Total swept braking area, 255 sq.in. Handbrake sets mechanically on rear wheels.

Rack and pinion steering gear, 15.5:1 ratio.

2.7 steering wheel turns from lock to lock.

Coil springs and double acting telescopic shock absorbers front and rear.


BODY

GRP-laminate body on all-welded steel chassis. Nominal laminate thickness, 0.12 in. Anti-corrosion treatment and underbody coating. Five colors: Yellow, Orange, Red, Blue and Green.

Driving lights, as illustrated, available at extra cost, where permitted by local law.

The manufacturer reserves the right to make changes at any time and without notice.

Distributed in U.S.A. by Saab Motors, Inc., N.Y., New Haven, Conn., Jacksonville, Fla., Torrance, Calif., and Saab Southwest, Inc., Denver, Col. and Grand Prairie, Texas.



DIMENSIONS AND WEIGHTS

Overall length, 159.5 in. Overall width, 59.1 in. Height, 47 in. Wheelbase, 84.6 in. Track, front and rear, 48.5 in.

15 in. wide rim aluminum wheels. Radial ply tires, 155-SR 15 in.

Curb weight, 1805 lb. (Curb weight, with factory installed air condition, 1875 lb.) Max. loaded vehicle weight, 2330 lb.

ENGINE AND TRANSMISSION

103.6 cu. in. (1698 c.c.) V-4 engine. Bore, 3.54 in. (90 mm.) Stroke, 2.63 in. (66.8 mm.) 8.0:1 compression ratio. 65 horsepower net (SAE) at 4700 rpm. Torque, 85 lb. ft. at 2500 rpm. Cooling system holds 7.4 quarts.

12 volt battery, 44 Ah. 35 A alternator.

Front-wheel drive. Free-wheel. Single dry plate clutch. Four forward gears. Gear ratios, engine to wheels: 1st, 16.2:1; 2nd, 9.7:1; 3rd, 6.0:1; top, 3.9:1; reverse, 14.8:1. Final drive ratio, 4.67:1.

Theoretical speed in top gear at 1000 engine rpm, 18.1 mph.

import motors inc.

Sales - Parts - Service

1685 Mentor Ave. Ph: 352-9625

Painesville, Ohio 44077

SAAB-SCANIA

Automotive Group
Södertälje and Trollhättan, Sweden

